

# DEVELOPING A COMPUTATIONAL MODEL TO UNDERSTAND THE CONTRIBUTIONS OF SOCIAL LEARNING MODES TO TASK COORDINATION IN TEAMS

Vishal Singh (Corresponding author)  
School of Architecture and Building  
Deakin University, Geelong, Australia  
Email: [vishal.singh@deakin.edu.au](mailto:vishal.singh@deakin.edu.au), Ph: +61 (03) 522 78326, Fax: +61 (03) 522 78341

Andy Dong  
Design Lab  
The University of Sydney, Sydney, Australia  
Email: [andy.dong@sydney.edu.au](mailto:andy.dong@sydney.edu.au)

John S Gero  
Krasnow Institute of Advanced Study  
George Mason University, Virginia, USA  
Email: [john@johngero.com](mailto:john@johngero.com)

## Abstract

This paper reports on a computational model developed to study the effects of various modes of social learning on task coordination in teams through the mapping of distributed team competence, a significant aspect of efficient teamwork. The computational model emphasizes and operationalizes distinct modes of social learning, differentiated in terms of socialization opportunities. Simulation results demonstrate that computational models based on fundamental principles of social learning provide a robust approach to study task coordination in teams and can be used to explore ways to organize opportunities for social learning depending upon member retention, team structure and the complexity of the design task.

## Keywords

Social learning; transactive memory, member retention, team structure

## 1. Introduction

Design practice today is a team activity, where the structure and organization of the design team is closely intertwined with the design task (Sosa et al., 2004). Product architecture may determine the organizational structure of the team while the conception of the product architecture is itself a result of teamwork and how the design activity is coordinated and performed as a team. The structure of the design team as well as the hierarchy of the design tasks can have unintended effects on information sharing and social learning among the team members, and potentially the coordination of the design activity. This paper presents a computational model developed to study the role of social learning in the coordination of design activity across teams with different organizational structures and requirements. The focus of this computational model is to simulate and understand social learning as an organizational activity in design teams, which affects the coordination and performance of the design task.

Various computational models of artificial organizations, communication networks and teams have been developed to study the importance of individual and social learning as an organizational activity (Jin et al., 1995; Carley and Svoboda, 1996; Kunz et al., 1998; Monge and Contractor, 2003; Rodan, 2008). In these models, the ability of an individual to learn about tasks to complete and to learn the knowledge to execute tasks is seen as integral to organizational performance. In all of these studies, the foundation of organizational performance is the ability of the agents to improve their performance through experience, often modelled as information acquisition. As succinctly put by Simon (1991, p. 125), the consensus is that: "All learning takes place inside individual human heads;

an organization learns in only two ways: (a) by the learning of its members, or (b) by ingesting new members who have knowledge the organization didn't previously have.”

In this research, rather than modelling how agents improve their own performance through experience, we model the types of social experiences that influence individual learning opportunities. We specifically deal with one aspect of the team that the agents need to learn, others' competence. The competence details of other team members include: (1) who can perform which design task; and, (2) what is the potential solution that the task performer may provide for a given task. We model how agents learn about competence as they interact with each other, and as they observe interactions between other agents or between some other agent and a task. Thus, we model and investigate how cumulative individual experience increases collective efficiency when agents have the ability to learn what others know through socialization (Reagans et al., 2005). The primacy of knowing knowledge sources in a distributed system has been emphasized in the research on transactive memory systems (Wegner, 1987) and is regarded as the basis for the formation of socio-cognitive factors such as trust in collaborative design (Wijngaards 2004).

This paper commences with a discussion on the theoretical basis of the model and then presents the model. We validate the model using docking (Axelrod, 1997). We then present some illustrative findings on the effects of forms of social learning on team performance based on factors that are difficult to control in empirical studies. We conclude with some discussions on the utility of models of social learning as a way to understand the effects of socialization opportunities in varied team environments.

## 2. Theory

The computational model in this study is based on the hypothesis that social learning is the basis of group-specific behaviour (McGrew, 1998). In the study of humans, we must consider the prominent forms of social learning that are not necessarily dependent on symbolic representation (Tomasello, 1999). Such social learning occurs through social observations and interactions, where group members are viewed as actors and observers, who learn about each other through the assumptions of intentionality in each other's observable actions (Tomasello, 1999; Knobe and Malle, 2002; Ravenscroft, 2004; Malle, 2005).

These kinds of social learning are embedded in the environment, and need not necessarily be goal-directed. Such social learning skills are believed to be innate to all humans (Tomasello, 1999), and, hence, need not be trained. For example, a child may observe that the adult goes to the refrigerator to retrieve an apple, and thus learns through observation that the refrigerator contains apples. Therefore, if organizations can maximize the benefits of social learning, they can significantly reduce the cost of training and development of team members towards effective task coordination in project teams (Marsick and Watkins, 1997; Conlon, 2004).

Various modes of social learning in teams have been reported in the literature (Grecu and Brown, 1998; Wu and Duffy, 2004). We consider three predominant modes of social learning: (1) learning from personal interactions (PI), (2) learning from task observations (TO), and (3) learning from interaction observations (IO). These modes of social learning are operationalized to model how an individual learns about the competencies of others so that the members can better coordinate their activity, which is a key factor that affects the rate at which teams benefit from their own experience (Argote, 2005). Here, we invoke the concept of transactive memory (TM) (Wegner, 1987) to hypothesize that social learning should enhance TM formation, wherein agents benefit from opportunities for social interactions and observations. That is, team members should be able to learn about each other's design knowledge and competence by observing the allocation of tasks and the design solutions proposed by other team members. This hypothesis has support since group training, where team members are collectively trained as a group, results in increased TM formation compared to individual training (Moreland, 1999; Ren et al., 2001). The type of team knowledge that team members gain in our model is at the level of detailed and concrete knowledge about who each team member is and the function of each team member, based on Rouse's taxonomy (Rouse, 1992). A well-developed TM should allow agents to allocate the task to the agent who is most competent in performing the given task without having to 'ask around' to identify who is proficient at the task (Wegner, 1987; Rouse et al., 1992; Mathieu et al., 2000; Langan-Fox et al., 2004). The challenge for a

computational system is to model opportunities for social learning to understand their influence on the formation of TM.

### **3. Conceptual model**

The key objective of this research is to develop a model that provides:

- The ability to set combinations of social learning modes as simulation parameters.
- The ability to control what agents learn from socialization opportunities. In this model, agents learn only about what other agents know, and not about the task, which ensures that the observed effects of social learning are limited to teamwork and not taskwork. In real world empirical studies, this is difficult to control because agents simultaneously learn about the task and the team. Once the effects of social learning modes on teamwork are studied in isolation, in future research, both teamwork and taskwork can be the dependent variables such that their interaction effects can be studied.
- The ability to control how agents learn from socialization. In real world empirical studies, the ability to learn from socialization opportunities may vary from person to person. Factors such as the kinds of assumptions team members make and how those assumptions are influenced by other socio-cognitive variables such as trust and reputation may differ from person to person. These factors may diminish or exaggerate the knowledge that agents take away from a social learning experience. The use of a computational model eliminates these factors because social learning is implemented as a set of rules. Though the researchers recognize that socio-cognitive factors are likely to affect the veracity of the reported findings, additional parameters can be modelled to study their effects in future research.
- The ability to simulate typical parameters of project-based teams that are related to the opportunities for socialization in teams. The parameters included in this model are:
  - busyness levels, which determine the availability of a team member to attend to socialization opportunities within the team;
  - team structure, which determines the socialization opportunities that are available or constrained by how the team is organized;
  - member retention, which determines how much can a team benefit from the social learning achieved in previous projects; and
  - task complexity, which determines the effectiveness of social learning in enhancing task coordination.

The effects of these parameters on teamwork are measured through:

- amount of TM formation, which shows how much the team members have learnt about each other through socialization; and
- amount of team communication needed for taskwork, which provides a measure of the efficiency of task coordination between the team members. Teams that require less communication to coordinate the same set of tasks are deemed as higher performing teams (Entin & Sarfaty, 1999).

The agent society in this simulation has three types of agents:

- design agents, that form the team and complete the tasks;
- client agents, that allocate the task to the team.; and
- a simulation controller agent, that initiates, manages and controls the number of simulations, as specified by the researcher.

In the remainder of the paper the term agent is used for the design agent, while the client agent is referred to as client.

#### **3.1 Social Learning**

In this computational model, agents learn about the other agents in the team based on the actions of the others, which are observable (Irene Frieze, 1971; Wallace and Hinsz, 2009). Interactions and observations allow team members to learn about each other's competence. The team members learn: (1) through personal interaction with each other; (2) by observing the other members perform a task; and (3) by observing the interaction between the other agents. For example, in Figure 1, the team

member  $A^1$  allocates a task  $T^1$  to the team member  $A^2$  and asks the team member  $A^2$  to pass on the resulting next task  $T^2$  to a third team member  $A^3$ . At the same time another team member  $A^4$  gets an opportunity to observe  $A^1$  allocating the task  $T^1$  to  $A^2$ .  $A^2$  responds confirming that it can perform the task  $T^1$ . In another instance,  $A^4$  observes team member  $A^5$  performing a task  $T^4$ . During these interactions the following learning opportunities are created, Table 1.

(1) Learning from personal interaction (PI):  $A^2$  may assume that since  $A^1$  is asking it to do the task  $T^1$ ,  $A^1$  does not have the competence to perform  $T^1$ . Similarly, based on  $A^1$ 's statement about allocation of task  $T^2$ ,  $A^2$  may assume that  $A^1$  knows about  $A^3$ 's competence in  $T^2$ . Further, when  $A^1$  gets a positive feedback from  $A^2$ ,  $A^1$  knows that  $A^2$  can perform  $T^1$ . (2) Learning by observing the other member perform a task (TO):  $A^4$  knows that  $A^5$  can perform  $T^4$ .  $A^4$  may be able to use this knowledge later, if at some other stage, it is looking for someone to perform  $T^4$ .

(3) Learning by observing interaction between other agents (IO):  $A^4$  may assume that since  $A^1$  is allocating the task  $T^1$  to  $A^2$ ,  $A^1$  itself does not have the competence to perform  $T^1$ . At the same time,  $A^3$  may also assume that it is likely that  $A^2$  knows how to perform  $T^1$  because it is being allocated that task by  $A^1$ .




Figure 1: Social learning opportunities in a team environment

Table 1: Learning assumptions corresponding to learning opportunities shown in Figure 1

Condition (IF)	Deduction (THEN)
If an agent $A^1$ allocates a task $T^1$ to another agent $A^2$	Then $A^2$ knows that $A^1$ does not have the competence to perform task $T^1$
If an agent $A^2$ gives a feedback to another agent $A^1$ that had allocated task $T^1$ to $A^2$	The $A^1$ knows about $A^2$ 's competence for $T^1$
If an agent $A^3$ receives a task $T^2$ from another agent $A^2$	Then $A^3$ knows that $A^2$ has the competence to perform the task preceding $T^2$ (i.e., $T^1$ ) as per the task dependencies
If an agent $A^1$ observes another agent $A^3$ allocating task $T^3$ to a third agent $A^4$	Then $A^1$ knows that $A^3$ does not have the competence to perform the task $T^3$
If an agent $A^1$ observes another agent $A^5$ performing task $T^4$	Then $A^1$ knows that $A^5$ has the competence to perform the task $T^4$

As team members interact and observe each other, they develop the TM. The development of TM involves learning about the competence of each agent in the team in each of the different tasks the team needs to perform, i.e., “who knows what”. The TM formed by each agent may be different to the TM of the other agents because all the agents will not have the same interactions and observations. Competence is defined in two ways: as a binary value (an agent does or does not have the competence to perform the task) and as a range of values (an agent has the competence to provide solutions to a task within a certain range of solutions). Competence range is a proxy for the level of skill in an area corresponding to the attributes of the solutions. For example, a team member with a higher competence mean value can be expected to provide solutions with higher values of the attributes, e.g., quality. This knowledge of others’ competence range allows agents to propose solutions that will be acceptable to the agent evaluating the solution.

The model simulates four factors that attenuate opportunities for social learning. Attention plays a critical role during these interactions and observations because the learner is concerned with only a subset of all the things that can be perceived at the given moment (Tomasello, 1999; Malle, 2005). Observation is subject to an agent’s availability to attend to the observable data, and, hence, mitigated by their level of busyness (Gilbert et al., 1988; Gilbert and Osborne, 1989). If an agent is busy when the observable data is available, then the observation is not made in that instance. A “Busyness” factor is introduced for the agent’s attention to the observable data. Busyness is implemented as the probability that an agent is not able to sense interactions among other agents and task-performance by some other agent at that instance. When an agent performs a design task, the agent always learns from personal interaction, but if the agent is not performing a design task during a simulation cycle, the “busyness” factor simulates an agent being preoccupied with other matters.

Second, social learning opportunities may vary with the team structure, i.e., how the team is organized. Three types of team structures are differentiated based on the opportunities and constraints for socialization: (1) flat teams; (2) distributed flat teams; and (3) functional teams organized in task-based sub-teams.

**Flat teams** have no hierarchy and no sub-divisions. Such teams are generally used for consultation, task-force and design exploration (Katzenbach JR, 1993; Perkins, 2005; OpenLearn, 2009). In flat teams all team members have the opportunity to interact with and observe all other members of the team.

**Distributed flat teams:** With the increased use of communication technology, project-based teams are often distributed across geographies (McDonough et al., 2001). In such teams, sometimes social cliques develop, where the project team is divided into two to three collocated clusters. Thus, even if the teams are flat for the purpose of task allocation, the opportunities for social learning are skewed due to the physical boundaries (McDonough et al., 2001; Leinonen et al., 2005; Sutherland et al., 2007). Examples of distributed flat teams can be found in global product development teams (McDonough et al., 2001) and the current practice of out-sourcing (Seshasai et al., 2006; Sutherland et al., 2007). Virtual teams can be considered as a kind of distributed team where it is possible that all the team members are distributed geographically such that there are no collocated clusters (Clancy, 1994; Desanctis and Monge, 1999).

**Functional teams:** Many work teams are organized into functional sub-teams (Malone, 1987; Hackman, 1987; Grant, 1996; OpenLearn, 2009). In such teams, the task is passed to the members from the sub-teams with relevant domain knowledge. Even if the hierarchy is not pre-defined, hierarchy emerges as the hierarchical task is decomposed into sub-tasks, and members are chosen to coordinate those tasks. A team member from each sub-group emerges as the task-coordinator, who coordinates the activities of that group, at the higher level, with the coordinators from other groups.

The three types of team structures implemented are summarized in Table 2. Flat teams allow members unrestricted access to all the agents in the team for task allocations as well observations. In functional teams, not only is an agent’s ability to observe the other agents limited within the sub-team, but even most of the task-allocation interactions are within the sub-team. In distributed flat teams, agents can allocate tasks to any other agent in the team, but their ability to observe other agents is limited to the members within their social cliques.

Table 2: Team types and corresponding scope for task allocation or social observation

Team type	Task allocation	Scope of observation
Flat teams	Any member of the team	Any member of the team
Distributed flat teams	Any member of the team	Only members of the social group
Functional teams	Only members of the task group	Only members of the task group

Personnel turnover is known to hamper coordination through disruption of the current TM (Carley, 1992; Rao and Argote, 2006). This is a particular problem in design teams, which are often project-based. As a consequence, team composition is likely to vary from one project to another. The composition of teams with members from an array of skill sets and specializations introduces new management and research challenges in harnessing the skills of those involved (Badke-Schaub et al., 2007; Townley et al., 2009). In order to achieve higher team performance, the managers and project leaders strive to maximize the number of members in the team who have previously worked together on a similar project (Hinds et al., 2000). This strategy is based on the belief that the greater the number of members who have worked together previously, the higher is the team familiarity, which in turn should lead to increased team performance. For example, higher team familiarity is expected to result in improved coordination among the team members (Hinds et al., 2000; Espinosa et al., 2002; Harrison et al., 2003; Huckman et al., 2008). Therefore, this research adopts member retention as a parameter.

Finally, since teamwork relies on task coordination, the complexity of the task determines the extent of social learning required to obtain sufficient knowledge of the agents' competences to complete the tasks. As the task complexity increases, agents will need greater information sharing and knowledge transfer, suggesting a potentially greater need for social learning to improve task coordination. Gero (1990) classifies design tasks as routine and non-routine depending on the exploration of the design space. Brown (1996) suggests another additional dimension for classification of design tasks, namely, parametric/conceptual designs, based on the explication of the attributes that specify the desired design solutions. In this research two types of parametric design tasks are modelled, such that they are differentiated in terms of the potential values for the attributes that specify the design problem. The tasks modelled have sequential dependence.

**Simple tasks:** Simple tasks are those parametric design tasks for which there are unique possible values for the attributes such that any two agents will provide the same solution. For simple tasks, the task handling is sequential, Figure 2(a). Therefore, all that the agents need to learn is 'who knows what'. Since the solutions to simple tasks are unique, the solutions are not subject to any coordination or compatibility check. Initially, the client allocates the first task on the basis of an expression of interest. Thereafter, the agents coordinate amongst themselves to pass on the resulting task to other agents. Once the last of the tasks is completed, the client is informed of the completion, closing the project simulation.

**Complex tasks:** Complex tasks are those parametric design tasks for which multiple values are possible for the same attributes, such that any two agents performing the same task may provide different solutions. Complex tasks require decomposition into simple tasks, Figure 2(b). These are similar to the design of complex engineering products that require decomposition according to product function or (modular) sub-system (Eppinger and Salminen, 2001; Siddique and Rosen, 2001). The teamwork involves more coordination and evaluation compared to simple tasks. For the complex tasks, one task may branch out into multiple sub-tasks and their solutions need to be compatible. Hence, such tasks require solution integration and compatibility check. This may require reallocation of the same tasks to the same or some other agent. Hence, a higher degree of social learning is necessary to complete the tasks efficiently.




Figure 2: Model task complexity (a) simple tasks, and (b) complex task

In general, the descriptions of the model and simulations assume complex tasks, unless otherwise stated. The main task  $T$  (first task) is divided into  $\eta$  sub-tasks represented as  $T^{L_1}, T^{L_2}, \dots, T^{L_\eta}$ , where  $L$  is lowest level of detail. For each sub-task there are  $\mu$  acceptable solutions. The overall design space is defined by a  $\mu \times \eta$  matrix. A complete solution,  $C$ , is a combination of the sub-solutions, and can be represented as an  $\eta$  dimensional vector,  $C = [T^{L_1}(x_1), T^{L_2}(x_2), \dots, T^{L_\eta}(x_\eta)]$ , where  $x_i$  is the solution chosen for the  $i$ th sub-task ( $T^{L_i}$ ), and where  $1 \leq (x_1, x_2, \dots, x_\eta) \leq \mu$  such that there is a solution for each of the  $\eta$  sub-tasks, which may be one of the  $\mu$  possible solutions for that sub-task, with the possibility that  $x_1 = x_2 = \dots = x_\eta$ . The average quality of the overall solution ( $V_C$ ) can be calculated as

$$V_C = \frac{1}{\eta} (x_1 + x_2 + \dots + x_\eta)$$

#### 4. Model implementation

The computational model is implemented in the Java Agent Development Environment (JADE) (Bellifemine et al., 2007). A comprehensive detail of model implementation, including the algorithms, is published in XXX (2010). The following section provides a brief description of the key implementation aspects.

##### 4.1 Implementing agent interactions and observations

Each agent has a unique ID. All the agents must register with the Simulation Controller. At the time of registering with the Simulation Controller, each agent registers its task expertise (tasks that it can perform) and affiliations (task groups / social groups), which allows for the simulation of team structure. A single agent may have expertise in multiple tasks so that multiple agents may have expertise in the same task.

Figure 3 shows the activity diagram for agents. Agents can sense / receive four kinds of data: (1) a task to perform; (2) feedback / reply for the task performed earlier by this agent; (3) solution for the task allocated earlier by this agent to another agent; and, (4) observe interaction between two other agents or another agent and some task.



The duplicate message serves as a mechanism to simulate observation opportunities in a computationally simple manner. The duplicate message contains the details of the interacting agents and the contents of the interaction. Upon parsing the message, the observer can identify the original sender and receivers of the message, and what the message conveyed. Therefore, all the messages for observation have the same representation. Task observation and interaction observation are differentiated in the way the agent parses the data.

#### 4.2 Implementing knowledge of competence and transactive memory

Each agent stores another agent's competence details as an  $m$ -dimensional vector showing the competence values, the lower range, and the upper range of the  $m$  possible tasks within the team, shown as the greyed column in Figure 4. The competence details for agents consists of: (a) task identifier; (b) counters for the number of times the agent has performed the task assigned, P; (c) the number of times a task has been allocated (given) to the agent, G; (d) perceived lower range of solution for each task,  $L_R$  and; (e) perceived upper range of solution for each task,  $U_R$ .

Agents in team  $\longrightarrow$

		$A^1$	-	$A^s$	-	$A^n$
Tasks to perform $\downarrow$	$[T^1, L_{R1}, U_{R1}]$	$[{}^1T^1, {}^1L_{R1}, {}^1U_{R1}]$	-	$[{}^sT^1, {}^sL_{R1}, {}^sU_{R1}]$	-	$[{}^nT^1, {}^nL_{R1}, {}^nU_{R1}]$
	$[T^2, L_{R2}, U_{R2}]$	$[{}^1T^2, {}^1L_{R2}, {}^1U_{R2}]$	-	$[{}^sT^2, {}^sL_{R2}, {}^sU_{R2}]$	-	$[{}^nT^2, {}^nL_{R2}, {}^nU_{R2}]$
	$[T^3, L_{R3}, U_{R3}]$	$[{}^1T^3, {}^1L_{R3}, {}^1U_{R3}]$	-	$[{}^sT^3, {}^sL_{R3}, {}^sU_{R3}]$	-	$[{}^nT^3, {}^nL_{R3}, {}^nU_{R3}]$
	-	-	-	-	-	-
	$[T^m, L_{Rm}, U_{Rm}]$	$[{}^1T^m, {}^1L_{Rm}, {}^1U_{Rm}]$	-	$[{}^sT^m, {}^sL_{Rm}, {}^sU_{Rm}]$	-	$[{}^nT^m, {}^nL_{Rm}, {}^nU_{Rm}]$

Figure 4: Matrix representing the TM of an agent

When an agent receives a positive feedback on another agent's competence, both P and G are incremented by one. If a negative feedback is received, only the G value is incremented by one. Updating just the competence values is not enough. Agents check the solutions provided or rejected by another agent to update the competence range of that agent in the given task. If an agent provides a solution or accepts a solution, it means that the solution lies within the specified range of solutions for that agent for the given task. If an agent rejects a solution provided by someone else, it can be assumed that the solution is outside the range of solutions acceptable to that agent for the given task.

As part of the common knowledge about the competence range of a typical agent in the team, agents assume that the difference between the upper range and lower range of any other agent's competence, for a given task, is similar. The solution span refers to the range of solutions that an agent may provide for a given task. The solutions that an agent can provide fall in a continuous range, within a limited span, corresponding to the competence range. The solution span is represented in terms of a MaxWindow and a MinWindow. MaxWindow refers to the maximum possible span, i.e., the maximum number of solutions known to an agent for a task that it can perform. MinWindow refers to the minimum possible span, i.e., the minimum number of solutions known to an agent for a task that it can perform. For example, let us assume that for any task, the upper and lower range of valid solutions has a value 9 and 0 respectively. Let MaxWindow=4 and MinWindow=2. Now, if an agent provides a solution with value 9, and, if the agent has the maximum competence span (i.e., span=MaxWindow) in this task, then this agent provides a solution between 9 and 6 ( $9-4+1$ ). However, if the agent has a minimum competence span (i.e., span=MinWindow) in this task, then the agent only provides solutions between 9 and 8 ( $9-2+1$ ). In the simulations, MaxWindow and MinWindow values are pre-coded into the agents as part of their common knowledge about the simulated team. When an agent observes another agent either performing or rejecting a task, the observer agent uses the known values of the typical MaxWindow and MinWindow to calculate and update the likely span (lower and upper competence range) of the observed agent for the observed task.

The TM is represented as an  $m \times n$  matrix, Figure 4, where  $n$  is the total number of agents. Each element  $[{}^sT^r, {}^sL_{Rr}, {}^sU_{Rr}]$  is a vector that holds the values for the competence, the lower range and the upper range of the  $s^{\text{th}}$  agent for the  $r^{\text{th}}$  task. Since at the start of the simulation, i.e., at time  $t=0$ , agents have no details of other agents' competence in any of the tasks, they have equal belief that an agent can either perform the task or not. Hence, the default value of P/G is  $\frac{1}{2}$ . At  $t=0$ , the default values of  $L_R$  and  $U_R$  for each of the tasks is set to  $L_{R\min}$  and  $U_{R\max}$  respectively, where  $L_{R\min}$  is the minimum possible lower range, and  $U_{R\max}$  is maximum possible upper range for any solution. As agents learn about each others' competence details, these assumed default values are updated to converge towards the actual competence values.

#### 4.2.1 Measuring TM Formation

TM formation is measured as a ratio of the number of TM matrix elements for which the values are different from the initial values by the end of the simulation. The measure of TM formation adopted for these simulations is similar to existing measures, which calculate the density and accuracy of TM formation (Moreland et al., 1998; Ren et al., 2006). Density measures "how much of the TM is learnt" while accuracy measures "how much of what is learnt is correct". In this paper, accuracy need not be measured because whatever the agents learn is accurate, and, hence, density (amount) is the only measurement required. Since each agent starts (at time  $t=0$ ) with a default value for each element in the matrix, the values in each element will change only if the agent has learnt it through social interactions and observations. Each value in the TM matrix should proceed towards 0 or 1, that is, that another agent cannot or can complete a specified design task.

Only the changes in the competence values are considered for assessing the TM formation of the agents. For example, let there be 10 agents in the team and altogether 10 tasks to be performed by the team. In that case, the TM is represented as a  $10 \times 10$  matrix such that there are 100 elements in the TM. When the simulation starts, all the elements have a default competence value (P/G) =  $\frac{1}{2}$  because there is an equal likelihood that a given agent may or may not be able to perform any of the given task. As agents interact with and observe each other and the task, they learn about each others' competence in the different tasks, and update the values of the corresponding elements in their TM. By the end of the simulation, let us assume that 60 of the 100 values were updated such that the value of each of these 60 elements is different from  $\frac{1}{2}$ . Thus, the TM formed in this case is 60%.

Each agent maintains a separate TM, which it updates based on its own interactions and observations. Therefore, by the end of the simulation, it is expected that each agent's TM will be different. However, overlap and similarities across the TM of the agents is likely. The overall TM formation for the team is calculated as an average of the TM formation for each agent in the team. For example, in a team of 10 agents, if 4 agents have 60% TM formation, 4 agents have 40% TM formation, and 2 agents have 50% TM formation, then the overall TM formation for the team is 50%.

#### 4.2.2 Using the TM for task allocation and handling

Agents allocate the task to the agent that has the highest competence value in the given task. When the simulation starts (at time  $t=0$ ), all the agents have the same default value for the competence in each task. In such a scenario, agents allocate the task to a random agent. Once the agents have gained experience working with each other, there will be differences in known competence of the agents in a given task. However, in that scenario, it is possible that more than one agent has the highest competence value. In that case, the agent creates a shortlist of all the agents with the highest competence value, and the task is allocated to any one of them.

Agents propose solutions based on their own competence range and the range of acceptable solutions for the agent that allocated the task, i.e., the task allocator. The task performer looks up the competence range of the task allocator corresponding to the given task in its TM. For the selected solution to be accepted, the solution must also overlap with the solution range acceptable to the task allocator. Once the agent has identified a shortlist of solutions that it can provide and that are also acceptable to the task allocator, it can choose any of the solutions from the shortlist, provided the chosen solution has not already been proposed in the same project. If the agent does not find an overlap between its own competence range and the solution range acceptable to the task allocator, i.e., if the shortlist is null, it shows failure to provide a solution. Since the agent constantly updates the

task allocator's acceptable solution range as soon as it gets a feedback, the task performer is able to adapt the solution to suit the task allocator. Thus, teams with well-developed TM will perform faster.

### **4.3 Implementing member retention**

The level of member retention is taken as the number of team members retained from the previous project such that if all the team agents are the same in the training round and test round, the level of member retention is 100%. If the member retention is 100%, all the team agents retain their TM. If the member retention is less than 100%, new team agents are introduced into the team such that each new team agent acquired in the team replaces a team agent that was part of the training round. For example, let there be 10 team agents,  $A^1$  to  $A^{10}$  that were part of the team in the training round. Now, if the desired member retention in the test round is 80% then the new team has 8 team agents retained from the training round, and 2 new team agents, for example  $A^{3'}$  and  $A^{7'}$  such that they replace the other 2 team agents,  $A^3$  and  $A^7$ , that were not retained from the training round.

While all new team agents (i.e.,  $A^{3'}$  and  $A^{7'}$ ) start with a default TM, the team agents retained from the training round (i.e.,  $A^1$ ,  $A^2$ ,  $A^4$ ,  $A^5$ ,  $A^6$ ,  $A^8$ ,  $A^9$ , and  $A^{10}$ ) reset the competence details of the team agents that have been replaced ( $A^3$ ,  $A^7$ ) while retaining the competence details of the rest of the agents (i.e.,  $A^1$ ,  $A^2$ ,  $A^4$ ,  $A^5$ ,  $A^6$ ,  $A^8$ ,  $A^9$ , and  $A^{10}$ ). That is, the retained team agents retain part of their TM, while the other part that may not be useful (i.e., related to  $A^3$  and  $A^7$ ), is reset to default values (to be used for competence details of  $A^{3'}$  and  $A^{7'}$ ).

### **4.4 Implementing the Client agent**

The client is not a part of the team but it interacts with the team to call for the initial proposals, nominate the coordinator for the first task, and approve the overall solution.

The client receives the proposed solutions for the first task from agents that can coordinate the first task. The proposals from different agents are likely to be different because each agent can propose a different range of solutions. The client selects a proposed solution that is the best match to its own acceptable range of solutions. If more than one proposal is shortlisted, the client selects any one of the shortlisted agents as the coordinator of the first task. The agents coordinating partial solutions directly report to the client about the completion of the partial solutions. The client has to ensure that all the partial solutions are received before informing the Simulation Controller that the project has been successfully completed.

### **4.5 Overview of a simulation run**

A single simulation run consists of two simulation rounds. The first round of a simulation is the training round in which the agents start with default (experimenter-defined) values. None of the agents have any TM formed at this stage. Once the training round is completed, a second round of simulation is run as the test round. Depending on the level of member retention, some or all the agents carry over the TM formed during the training round to the test round. The results from the training round are used as the basis from which to measure TM formation. Measurement of team performance is based on the results from the test round.

Each simulation round is said to be complete when the set of tasks is complete. Completion of the set of tasks, i.e., one simulation round, requires multiple simulation cycles. For each simulation cycle, a team agent may either: perform a task, communicate with another agent to assign a task, or observe other agents. Opportunities for social learning occur when the agents interact, thereby forming a TM. There is one design task related activity in each simulation cycle. This activity, which could be task allocation, refusal to perform a task, or task performance, allows agents that are not directly involved in these activities to make observations. The social learning mode of PI occurs when agents are communicating with other agents to assign tasks or provide solutions, and the social learning modes of IO and TO occur when agents are not engaged in any design work during a simulation cycle and can thus observe other agents working. The number of simulation cycles in a simulation round corresponds to the number of messages exchanged between the agents to complete the set of tasks. Hence, test rounds are expected to have fewer simulation cycles than the training rounds, and the comparison across the training rounds and test rounds indicates the improvement in team performance.

At the start of a simulation round, the client calls for proposals for the first task from all the agents in the team. Agents that can perform the first task propose a solution. This proposal includes the range of solutions that the agents can provide. Once the deadline for the receipt of solutions is over, the client evaluates each of the proposals and shortlists the solutions that are closest to its acceptable range of solutions. If more than one proposed solution is shortlisted, one of the shortlisted proposals is chosen at random, and the task is allocated to the agent, who coordinates the task at the highest level with the rest of the team. The coordinator of the first task decomposes the task into sub-tasks, which it allocates to the other agents that it expects to be able to competently perform those tasks. Since the solutions for the decomposed tasks must be compatible, the source agent, i.e., the agent that allocates task, needs to evaluate the solutions. Agents that receive the task but cannot perform the given task send a refusal message, while agents that receive the task and that can perform the task communicate a proposed solution. Once the source agent has received the solutions for all the related sub-tasks, it checks the solutions for compatibility. The sub-tasks for which the solutions may not be compatible are sent for rework, based on the task handling protocol. The cycle of rework and task allocation continues unless the solutions for all the sub-tasks are approved. Once the solution for a sub-task is approved, the agent that performed the sub-task checks if the given sub-task needs to be decomposed further to detail the solution. If no decomposition is required, it informs the client that the sub-task is performed. If the task needs to be decomposed further, the same cycle of task allocation, coordination, and rework continues until all the sub-tasks are performed and the compatibility is ascertained.

## **5. Validation of the Computational Model**

Teams trained in groups are known to perform better because of higher TM formation, as compared to teams where members are trained individually (Moreland et al, 1998; Ren et al. 2001, 2006). Hence, initial simulations were conducted to simulate similar scenarios such that the simulation results can be compared to the expected results based on published findings (Moreland et al, 1998; Ren et al. 2001, 2006). If the results from the validation simulations conform to the published findings from the literature, the model can be used with confidence to conduct ‘what if’ studies.

The validation simulations are conducted with simple tasks, flat teams and 100% member retention. Two types of agents are used. In any given simulation, only one kind of agent is used at a time. The differences in the agents are based on their learning capabilities. Agents of type  $A^I$  learn only from their personal interactions. Agents of type  $A^S$  are not only capable of learning from personal interactions, but they also observe and learn from the other interactions in the team.

The simulations with these two types of agents correspond to the studies on individual training and group training of the team members, as reported by Moreland et al. (1998) and Ren et al. (2001, 2006). Group training involves personal interactions, communication and observations. This matches the case where the agents have all learning modes available to them ( $A^S$ ). On the other hand, the simulations where the agents can only learn from personal interaction ( $A^I$ ) are similar to the individual training case.

The measures for team performance include the time taken to perform the task, and the quality of output. The quality of output is not assessed in this paper, because none of the acceptable solutions is dominant. The team performance is measured only in terms the amount of communication required to complete the set of tasks, which determines how much time the team takes to perform the tasks.

Findings for the validation studies are based on N=60 simulation runs. Simulations were conducted with two different team sizes (6 and 12 members) to see whether team size produced a qualitative difference in behaviour. Two-tailed t-tests reject the null hypothesis that the means of the results from the experiments are similar. The teams in which the agents can learn from social observations, in addition to their personal interactions, have higher level of TM formation, Figure 5.




Figure 5: TM formation across individual and social learning scenarios

These results conform to the findings reported in the two cases studies. The two cases studies (Moreland et al., 1998; Ren et al., 2006) also reported positive effects of group training on the team performance. The findings from the validation simulations are similar, Figure 6. In both the cases, the teams of  $A^S$  agents performed better than the teams of  $A^I$  agents.




Figure 6: Number of messages across individual and social learning scenarios (higher number of messages for same team size indicates lower team performance.)

As the team size increases, the differences in TM formation across individual learning scenarios and social learning scenarios, increases, Figure 5. Furthermore, as the team size increases, the level of TM formation decreases indicating that the lack of social learning is more detrimental to TM formation in larger teams, Figure 5. These findings are consistent with Ren et al. (2006), who found that larger groups suffer more from the lack of TM formation opportunities that are available to the smaller groups.

## 6. Results and discussion

The simulation results presented in Section 5 validate the suitability of the model for studies on TM formation and social learning in teams. The model provides the basis for a simulation environment that can be used to study the differential contributions of the different social learning modes to the prosocial team processes, mediated by the formation of TM. The validated model can be used to

investigate different research questions and hypotheses relating the independent variables, i.e., social learning modes, team structure, busyness levels, level of member retention and task complexity, to the dependent variables, i.e., TM formation and task coordination. Table 3 shows the experiment matrix and the potential research questions that can be investigated using the developed computational model.

Table 3: Simulation parameters and research questions to be investigated using the model

	Busyness levels (BL)	Member Retention (MR)	Team Structure (TS)	Task Complexity (TC)
Learning Modes (LM)	<p><b>Q1:</b> How does the increase in BL effect TP/ TM-formation? How is this correlation affected by the different LM?</p>	<p><b>Q2:</b> Increase in MR is known to increase TP, mediated by TM-formation. But what is the pattern/rate of increase in TP with the increase in MR?</p> <p><b>Q3:</b> How does this pattern/ rate vary across different LM?</p>	<p><b>Q5:</b> How does the effect and contribution of LM towards TP/ TM-formation vary across different TS?</p>	<p><b>Q8:</b> TP is likely to decrease with reduction in LM. If yes, how does the rate of decrease vary with the TC?</p>
BL		<p><b>Q4:</b> How does this pattern/ rate vary with BL?</p>	<p><b>Q6:</b> How does the effect of BL on TP and TM formation vary across different TS?</p>	<p><b>Q9:</b> How does the effect of BL on TP/ TM-formation vary with TC?</p>
MR			<p><b>Q7:</b> How does the pattern/ rate of increase in TP with increase in MR vary across different TS?</p>	<p><b>Q10:</b> How does the pattern/ rate of increase in TP with increase in MR vary with TC?</p>
TS				<p><b>Q11:</b> How does the relative difference in TP/ TM-formation across different TS vary with TC?</p>
<p><b>TP=</b> Team performance (measured as task coordination)</p> <p><b>TM=</b> Transactive memory (measured as the density of TM formation)</p>				

Simulation results testing the following hypothesis are presented to demonstrate the utility of the model in generating findings:

**Hypothesis:** The increase in team performance (TP), with the increase in member retention (MR), is lower in teams with fewer learning modes (LM) available to the agents. This hypothesis is derived from Q2 and Q3 in Table 3.

Results from simulations conducted to test this hypothesis are shown in Figure 7. These results are for simulations with simple tasks, flat teams and busyness level (BL) =0%. Thus, the independent variables for this simulation are: (1) learning modes (PI/ PI+IO/ PI+TO/ PI+IO+TO) and (2) team retention level MR (17/33/50/66/83/100 %, these values are derived from a team size=12, and six levels of retention), and the dependent variable is team performance, measured as the amount of communication needed to perform the set of tasks. TM formation is the intervening variable in the

studies with member retention because the level of member retention determines how much of the TM formed during the training rounds is retained in the test round.




Figure 7: Rate of increase in team performance with increase in level of member retention across different learning modes (Team performance is marked as negative of the number of messages)

Simulation results plotted in Figure 7 support this hypothesis. The pattern in Figure 7 suggests that when member retention is higher the team performance is higher. Further, these results show that the rate of increase in team performance is higher, with the increase in member retention. This is demonstrated by a positive concave curve across all learning scenarios. These results indicate that below a certain level of member retention, the lack of member retention is less detrimental to the team performance. Statistical comparisons provide some indication of marginally higher correlation between member retention and team performance at higher levels of member retention, Table 4. Each row in Table 4 shows the correlation between member retention and team performance for a given learning mode, across lower (0, 17, 33, 50) and higher (50, 66, 83, 100) levels of member retention. The interaction effects of learning modes and member retention are explored further in Table 5.

Table 4: Correlation between member retention and team performance (BL=0%)

LM	MR values (low/ high)	Correlation
PI+IO+TO	(0,17, 33, 50) / (50, 66, 83, 100)	0.9907 / 0.9998
PI+TO	(0,17, 33, 50) / (50, 66, 83, 100)	0.7658/0.9930
PI+IO	(0,17, 33, 50) / (50, 66, 83, 100)	0.9739/0.9988
PI	(0,17, 33, 50) / (50, 66, 83, 100)	0.9151 / 0.9749

The pattern of change in team performance with the change in member retention is found to be contingent on the learning modes, i.e., the different learning modes are found to have differential contributions to the increase in team performance. For example, in these simulations, the differential contributions of personal interactions (PI), task observation (TO) and interaction observations (IO) to the increase in team performance are more distinct at intermediate levels of member retention (MR=50% to MR=83%), as shown in the differences across PI, PI+IO and PI+TO graphs. ANOVA

results presented in Table 5 show that there is significant difference in team performance across the different learning modes at intermediate and higher levels of member retention. Each row in Table 5 shows ANOVA across the team performance for the different learning modes at a given level of member retention. At lower levels of member retention (0, 33) the differences in performance across the different learning modes is not significant, supporting the claim that below a certain level of member retention, the lack of member retention is less detrimental to the team performance. Further, a statistical analysis confirms that the differences observed in Figure 7 across the PI+IO and PI+TO is significant ( $F=37.122$ ,  $P<0.01$ ).

Table 5: Differences in team performance across the four learning modes, i.e. PI, PI+IO, PI+TO, PI+IO+TO at given level of member retention, measured through ANOVA

MR (%)	F	P-value	F>F-critical
17	2.3829	0.07	No
33	0.8751	0.46	No
50	5.7821	<0.01	Yes
66	11.3326	<0.01	Yes
83	3.8530	<0.01	Yes
100	27.3997	<0.01	Yes

While it is known from literature that member retention typically enhances team performance, these simulation results provide an insight into the pattern of increase, as well as the potential contributions of the different learning modes in fostering this causal relationship. Recent studies on team familiarity in real world scenarios (Huckman et al., 2008; Huckman and Staats, 2008; Staats, forthcoming) have started to explore underlying conditions in which team familiarity is achieved and how the differential conditions have differential effects on the relationship between team familiarity and team performance. The simulation results shown in Figure 7 demonstrate the usefulness of the model in testing and generating hypotheses related to team behaviour, which was the main objective of this paper. These results show that the model can be used to test theories on social learning, through simulation of scenarios that are difficult to control and test in real world studies. The model is particularly relevant to the current research on teams and organizations because contemporary teams vary in their scope of social interaction and dissemination of information among team members. These variations in scope for social learning can result from team structures, geographical distribution of team members, information protocols within teams, reports and documentations of past projects, and use of information and communication technology. For example, how the information is documented and presented determines what assumptions the information seeker is making. Similarly, geographically distributed teams skew the opportunity for social learning. Collocated team members have multiple modes of communication channels available to them, while non-collocated team members are generally dependent on discrete set of information such as texts (McDonough et al., 2001). Typically, in some of the fully virtual teams, such non-collocated interactions might be the only source of team building and team formation. Discussion forums, blogs, group mails and corporate social networking sites and general social networking sites such as Twitter are other sources of information that team members may use to impute about others' capabilities. For example, plain text messages and status updates on social media such as Twitter and Facebook are reported to have been used by managers and colleagues to identify what others are doing, even to the extent of locating potential employees in some cases (Skeels and Grudin, 2009). Similarly, users of social networking sites can learn about the relationships and associations between two other individuals based on the messages exchanged between them. While it remains an open research question whether the social media provide new forms of social learning modes or not, it is evident that they support varying levels

of social interaction and observation opportunities, allowing individuals to make assumptions about others in their network.

Design teams are increasingly project based and distributed across different locations. Factors such as the available learning modes, team structure, level of member retention, and task complexity can affect the TM, and hence the task coordination in such teams. Knowing the differential contributions of the different modes of learning across different team environments will be useful for effective team management.

## **7. Contributions and limitations**

The main contribution of this research is the introduction and validation of a computational model that uses fundamental modes of social learning as the basis for agent learning. This model allows the study of the differential effects of the social learning modes on team performance, mediated by the formation of TM. The social learning modes are distinctly identified and operationalised as simulation parameters. Other potential independent variables currently implemented in the model are team structure, busyness levels, levels of member retention, and the task complexity. The use of a computational method allows control and isolation of parameters such as learning modes and busyness levels that are difficult to isolate and control in real world scenarios, besides the challenges posed in real world studies in accurate elicitation of what the team members have learnt (Mohammed et al., 2000). The conformity of the results from the validation simulations to the established finding reported in literature suggests that this computational model of TM and social learning modes can provide useful insights into the theories of TM formation and task coordination.

However, the simplified scenarios are also the main limitations of this work. This model currently uses reactive agents with assumptions of intentionality and rationality in actions and observations. Socio-cognitive behaviour is much more complex, determined by factors such as trust, motivation and forgetfulness that may influence an agent's willingness to perform a task as well the inferences made from social observations. Similarly, while the fundamental models of social learning are differentiated in terms of personal interactions, task observations and interaction observations, in the real world, learning scenarios associated with each of these learning modes are much wider and varied. For example, personal interactions in real world scenarios may include interactions such as recommendations (informing an agent about another agent's competence) and queries (asking an agent about another agent's competence), where agents explicitly exchange information about the other agents, both in formal and informal interactions (Bobrow and Whalen, 2002; Borgatti and Cross, 2003). The computational model needs to be extended to include other learning scenarios.

In the current model the task related capabilities of agents do not change over time, which is rarely the case in real world scenarios that may require constant updates of the TM for accuracy and recency, other aspects of TM that are critical to effective task coordination. The current model adopts one of the many different ways to represent a design task. The results may also vary with the complexity of the task modelled and the knowledge and coordination required by the agents. Design tasks are often creative and exploratory and result in the production of new knowledge and expertise. Modelling creative design tasks and the generation of new knowledge is by itself a computationally challenging task. Extensions to the current model can simulate some of the specific characteristics of the creative design processes and tasks. In particular, this model can be extended to study how social experiences and cumulative learning of individuals in teams may influence collective learning and the generation of expertise in creative design teams. For instance, simulations can investigate how members collectively learn to design better. This model can also be extended to study the density effects on learning (Huber 1991; Rodan 2008) and understand why some teams are more creative than others.

In summary, this paper presents a computational model based on fundamental modes of social learning in teams, and provides a robust platform that can be extended across different dimensions of design team structure and design tasks to test aspects of team learning and behaviour.

## References

- Axelrod, R. (1997). Advancing the Art of Simulation in the Social Sciences. *In: Conte, R., Hegselmann, R. & Terna, P. (eds.) Simulating Social Phenomena*. Berlin: Springer, 21-40.
- Argote, L. (2005). *Organizational Learning: Creating, Retaining, and Transferring Knowledge*, New York, Springer.
- Badke-Schaub, P., Neumann, A., Lauche, K. & Mohammed, S. (2007). Mental models in design teams: a valid approach to performance in design collaboration? *CoDesign*, 3, 5-20.
- Bellifemine, F., Caire, G. & Greenwood, D. (2007). *Developing multi-agent systems with JADE*, Sussex, England, Wiley.
- Bobrow, D. G. & Whalen, J. (2002). Community knowledge sharing in practice: The eureka story. *Reflections*, 4, 47-59.
- Borgatti, S. P. & Cross, R. (2003). A Relational View of Information Seeking and Learning in Social Networks. *Management Science*, 49, 432-445.
- Brown, D.C. (1996). Routineness Revisited. *Mechanical Design: Theory and Methodology*, (Eds.) M. Waldron & K. Waldron, Springer-Verlag, pp. 195-208.
- Carley, K. (1992). Organizational Learning and Personnel Turnover. *Organization Science*, 3, 20-46.
- Carley, K. M. & Svoboda, D. M. (1996). Modeling Organizational Adaptation as a Simulated Annealing Process. *Sociological Methods Research*, 25, 138-168.
- Clancy, T. (1994). The latest word from thoughtful executives-The virtual corporation, telecommuting and the concept of team. *Academy of Management Executive* 8 (2), 8-10.
- Conlon, T. J. (2004). A review of informal learning literature, theory and implications of practice in developing global professional competence. *Journal of European Industrial Training*, 28, 283-295.
- Desanctis, G. & Monge, P. (1999). Introduction to the Special Issue: Communication Processes for Virtual Organizations. *Organization Science*, 10, 693-703.
- Entin, E. E. & Sarfaty, D. (1999). Adaptive team coordination. *Human Factors: The Journal of the Human Factors and Ergonomics Society*, 41, 312-325.
- Eppinger, S. & Salminen, V. (2001). Patterns of Product Development Interactions. *In: International Conference on Engineering Design (ICED'01)*, 2001 Glasgow, UK.
- Espinosa, J. A., Kraut, R. E., Slaughter, S. A., Lerch, J. F., Herbsleb, J. D. & Mockus, A. (2002). Shared Mental Models, Familiarity and Coordination: A Multi-Method Study of Distributed Software Teams. *In: International Conference for Information Systems, ICIS 2002*, 2002 Barcelona, Spain.
- FIPA. (2002). *Foundation for Intelligent Physical Agents, FIPA ACL Message Structure Specification* [Online]. Available: <http://www.fipa.org/specs/fipa00061/SC00061G.pdf> [Accessed 03/06/06].
- Gero, J. S. (1990). Design prototypes: a knowledge representation schema for design, *AI Magazine* 11(4), 26-36.
- Gilbert, D. T. & Osborne, R. E. (1989). Thinking Backward Some Curable and Incurable Consequences of Cognitive Busyness. *Journal of Personality and Social Psychology*, 57, 940-949.
- Gilbert, D. T., Pelham, B. W. & Krull, D. S. (1988). On Cognitive Busyness, When Person Perceivers Meet Persons Perceived. *Journal of Personality and Social Psychology*, 54, 733-740.
- Grant, R. M. (1996). Toward a Knowledge-Based Theory of the Firm. *Strategic Management Journal*, 17, 109-122.
- Greco, D. L. & Brown, D. C. (1998). Dimensions of machine learning in design. *In: Duffy, A. H. B., Brown, D. C. & Goel, A. K. (eds.) Artificial Intelligence for Engineering Design Analysis and Manufacturing, special issue on "Machine Learning in Design"*. Cambridge University Press.
- Hackman, J. R. (1987). The design of work teams. *In: Lorsch, J. (ed.) Handbook of Organizational Behavior*. Englewood Cliffs, NJ: Prentice-Hall.

- Harrison, D. A., Mohammed, S., McGrath, J. E., Florey, A. T. & Vanderstoep, S. W. (2003). Time matters in team performance: Effects of member familiarity, entertainment, and task discontinuity on speed and quality. *Personnel Psychology*, 56, 633-669.
- Hinds, P. J., Carley, K. M., Krackhardt, D. & Wholey, D. (2000). Choosing Work Group Members: Balancing Similarity, Competence, and Familiarity. *Organizational Behavior and Human Decision Processes*, 81, 226-251.
- Huber, G. P. (1981). The Nature of Organizational Decision Making and the Design of Decision Support Systems. *MIS Quarterly*, 5, 1-10.
- Huckman, R. S. & Staats, B. R. (2008). Variation in Experience and Team Familiarity: Addressing the Knowledge Acquisition-Application Problem. *SSRN eLibrary*.
- Huckman, R. S., Staats, B. R. & Upton, D. M. (2008). Team Familiarity, Role Experience, and Performance: Evidence from Indian Software Services. *HBS Technology & Operations Mgt. Unit Research Paper No. 08-019*.
- Irene Frieze, B. W. (1971). Cue utilization and attributional judgments for success and failure. *Journal of Personality*, 39, 591-605.
- Jin, Y., Levitt, R. E., Christiansen, T. R. and Kunz, J. C. (1995). The Virtual Design Team: Modeling organizational behavior of concurrent design teams. *Artificial Intelligence for Engineering Design Analysis and Manufacturing*, 9, 145-158. doi:10.1017/S0890060400002183.
- Katzenbach JR, S. D. (1993). The discipline of teams. *Harvard Business Review*, 71, 111-120.
- Knobe, J. & Malle, B. F. (2002). Self and Other in the Explanation of Behavior: 30 Years Later. *Psychological Belgica*, 42, 113-130.
- Kunz, J. C., Levitt, R. E. & Jin, Y. (1998). The Virtual Design Team: A Computational Simulation Model of Project Organizations. *Communications of the Association for Computing Machinery*, 41, 84-92.
- Langan-Fox, J., Anglim, J. & Wilson, J. R. (2004). Mental models, team mental models, and performance: Process, development, and future directions. *Human Factors in Ergonomics and Manufacturing*, 14, 331-352.
- Leinonen, P., Jarvela, S. & Hakkinen, P. (2005). Conceptualizing the Awareness of Collaboration: A Qualitative Study of a Global Virtual Team. *Computer Supported Cooperative Work (CSCW)*, 14, 301-322.
- Malle, B. F. (2005). Folk theory of mind: Conceptual foundations of human social cognition. In: Hassin, R., Uleman, J. S. & Bargh, J. A. (eds.) *The new unconscious*. New York: Oxford University Press.
- Malone, T. W. (1987). Modeling coordination in organizations and markets. *Management Science*, 33, 1317-1332.
- Marsick, V. & Watkins, K. (1997). Lessons from informal and incidental learning. In: Burgoyne, J. & Reynolds, M. (eds.) *Management Learning: Integrating Perspectives in Theory and Practice*. Thousand Oaks, CA: Sage.
- Mathieu, J. E., Heffner, T. S., Goodwin, G. F., Salas, E. & Cannon-Bowers, J. A. (2000). The Influence of Shared Mental Models on Team Process and Performance. *Journal of Applied Psychology*, 85, 273-283.
- McDonough, E. F., Kahn, K. B. & Barczak, G. (2001). An investigation of the use of global, virtual, and collocated new product development teams. *Journal of Product Innovation Management*, 18, 110-120.
- McGrew, W. C. (1998). Culture in Nonhuman Primates? . *Annual Review of Anthropology*, 27, 301-328.
- Mohammed, S., Klimoski, R. & Rentsch, J. (2000). The Measurement of Team Mental Models: We Have No Shared Schema. *Organizational Research Methods*, 3, 123-165.
- Monge, P. & Contractor, N. (2003). *Theories of Communication Networks*, Oxford University Press.
- Moreland, R. L. (1999). Transactive memory: Learning who knows what in work group and organizations. In: Thompson, L. L., Levine, J. M. & Messick, D. M. (eds.) *Shared Cognition in Organization: The Management of Knowledge*. Mahwah, NJ: Lawrence Erlbaum.

- Moreland, R. L., Agote, L. & Krishnan, R. (1998). Training people to work in groups. In: Tindale, R. S. & Heath, L. (eds.) *Theory and Research on Small Groups: Social psychology applications to small groups*. New York: Plenum.
- OpenLearn. (2009). *Types of teams* [Online]. The Open University,. Available: <http://openlearn.open.ac.uk/mod/resource/view.php?id=209209> [Accessed 24 March 2009].
- Perkins, S. (2005). Building and Managing a Successful Design Team. *STEPMagazine*, <http://www.stepsidedesign.com/STEPMagazine/Article/28410/0/page/1>.
- Rao, D. R. & Argote, L. (2006). Organizational learning and forgetting: The effects of turnover and structure. *European Management Review*, 3, 77-85.
- Ravenscroft, I. (2004). *Folk Psychology as a Theory* [Online]. Available: <http://plato.stanford.edu/archives/fall2008/entries/folkpsych-theory> [Accessed 24 March 2009].
- Reagans, R., Argote, L. & Brooks, D. (2005). Individual Experience and Experience Working Together: Predicting Learning Rates from Knowing Who Knows What and Knowing How to Work Together. *Management Science*, 51, 869-881.
- Ren, Y., Carley, K. M. & Argote, L. (2001). Simulating The Role of Transactive Memory in Group Training and Performance. Pittsburg, PA: CASOS, Dept. of Social and Decision Sciences, Carnegie Melon University.
- Ren, Y., Carley, K. M. & Argote, L. (2006). The Contingent Effects of Transactive Memory: When Is It More Beneficial to Know What Others Know? *Management Science*, 52, 671-682.
- Rodan, S. (2008). Organizational learning: effects of (network) structure and (individual) strategy. *Computational & Mathematical Organization Theory*, 14, 222-247.
- Rouse, W., Cannon-Bowers, J. & Salas, E. (1992). The role of mental models in team performance in complex systems. *Systems, Man and Cybernetics, IEEE Transactions on*, 22, 1296-1308.
- Seshasai, S., Malter, A. J. & Gupta, A. (2006). The Use of Information Systems in Collocated and Distributed Teams: A Test of the 24-Hour Knowledge Factory. *SSRN eLibrary*.
- Siddique, Z. & Rosen, D. W. (2001). On combinatorial design spaces for the configuration design of product families. *Artificial Intelligence for Engineering Design Analysis and Manufacturing*, 15, 91-108.
- Simon, H. A. (1991). Bounded Rationality and Organizational Learning. *Organization Science*, 2, 125-134.
- XXX 2010. XXX, PhD Thesis , XXX.
- Skeels, M.M. & Grudin, J. (2009). When Social Networks Cross Boundaries: A Case Study of Workplace Use of Facebook and Linked. In: *Proceedings of the ACM 2009 international conference on Supporting group work (GROUPS'09)*, ACM New York, NY, USA, 95-103.
- Sosa, M. E., Eppinger, S. D. & Rowles, C. M. (2004). The Misalignment of Product Architecture and Organizational Structure in Complex Product Development. *Management Science*, 50, 1674-1689.
- Staats, B. R. (forthcoming). Unpacking team familiarity: The effect of geographic location and hierarchical role. *Production and Operations Management*.
- Sutherland, J., Viktorov, A., Blount, J. & Puntikov, N. (2007). Distributed Scrum: Agile Project Management with Outsourced Development Teams. In: *HICSS'40, Hawaii International Conference on Software Systems*, 2007 Big Island, Hawaii.
- Tomasello, M. (1999). *The cultural origins of human cognition*, Cambridge, MA, Harvard University Press.
- Townley, B., Beech, N. & Mckinlay, A. (2009). Managing in the creative industries: Managing the motley crew. *Human Relations*, 62, 939-962.
- Wallace, D. M. & Hinsz, V. B. (2009). Group Members as Actors and Observers in Attributions of Responsibility for Group Performance. *Small Group Research*, 40, 52-71.
- Wegner, D. (1987). Transactive memory: A contemporary analysis of the group mind. In: Mullen, B. & Goethals (eds.) *Theories of group behavior*. Springer-Verlag.

- Wijngaards, N. J. E., Boonstra, H. M. and Brazier, F. M. T.(2004). The Role of Trust in Distributed Design. *Artificial Intelligence for Engineering Design Analysis and Manufacturing*, Special Issue on Intelligent Agents in Design., 199-209.
- Wu, Z. & Duffy, A. H. B. (2004). Modeling collective learning in design. *Artificial Intelligence for Engineering Design Analysis and Manufacturing*, 18, 289-313.